

NOTES:
 ANY DISCREPANCIES OR OMISSIONS TO BE REPORTED TO MORLEY WALSH CONSULTING ENGINEERS IMMEDIATELY. DO NOT SCALE - WORK FROM FIGURED DIMENSIONS ONLY.
 THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL CIVIL ENGINEERS, STRUCTURAL ENGINEERS, ARCHITECTS & ALL OTHER RELEVANT DRAWINGS & SPECIFICATIONS RELATING TO THE PROJECT. ALL DIMENSIONS TO BE CONFIRMED ON SITE. THIS DRAWING IS THE PROPERTY OF MORLEY WALSH CONSULTING ENGINEERS AND IT OR ITS CONTENTS CANNOT BE COPIED, REPRODUCED OR OTHERWISE USED WITHOUT THE PERMISSION & CONSENT OF MORLEY WALSH CONSULTING ENGINEERS. ©

Emin/Emax= 0.10
 Emin/Eav= 0.26
 Emax/Eav= 2.62

Grid 2
 Results - Horizontal Illuminance (lux)
 Eav= 5.32
 Emin= 1.25
 Emax= 13.21
 Emin/Emax= 0.09
 Emin/Eav= 0.24
 Emax/Eav= 2.49

Grid 3
 Results - Horizontal Illuminance (lux)
 Eav= 6.29
 Emin= 1.91
 Emax= 20.76
 Emin/Emax= 0.09
 Emin/Eav= 0.30
 Emax/Eav= 3.30

Grid 4
 Results - Horizontal Illuminance (lux)
 Eav= 15.72
 Emin= 8.27
 Emax= 31.99
 Emin/Emax= 0.26
 Emin/Eav= 0.53
 Emax/Eav= 2.03

Grid 5
 Results - Horizontal Illuminance (lux)
 Eav= 16.37
 Emin= 7.29
 Emax= 35.74
 Emin/Emax= 0.20
 Emin/Eav= 0.45
 Emax/Eav= 2.18

Grid 6
 Results - Horizontal Illuminance (lux)
 Eav= 16.51
 Emin= 7.19
 Emax= 35.61
 Emin/Emax= 0.20
 Emin/Eav= 0.44
 Emax/Eav= 2.16


Grid 7
 Results - Horizontal Illuminance (lux)
 Eav= 15.91
 Emin= 7.60
 Emax= 34.33
 Emin/Emax= 0.22
 Emin/Eav= 0.48
 Emax/Eav= 2.16

Grid 8
 Results - Horizontal Illuminance (lux)
 Eav= 15.85
 Emin= 7.55
 Emax= 34.61
 Emin/Emax= 0.22
 Emin/Eav= 0.48
 Emax/Eav= 2.18

Luminaire Data
 Luminaire A P852-12-F2-NW-CB0650-25W
 Lamp 740C NW MF 0.80
 Luminaire B P862-64-F2B-NW-F500-98W
 Lamp 740P NW MF 0.80

- Key**
- Luminaire A Column
 - Luminaire B Column
 - Beam Aiming Target
 - Photometric Centre

All Dimensions in metres



PROJECT/CLIENT:
 RESIDENTIAL DEVELOPMENT AT CLONMINCH, TULLAMORE, CO. OFFALY FOR STEINFORTH INVESTMENTS FUND

ARCHITECT:
 VAN DIJK ARCHITECTS
 MILLHOUSE, MILL STREET,
 DUNDALK, CO. LOUTH

Mechanical, Electrical & Energy Consultants
 Strand House,
 22 - 24 Strand Street Great,
 Dublin 1.
 Phone: +353 1 5325178
 e-mail: info@morleywalsh.com
 Web: www.morleywalsh.com

consulting engineers

DRAWING TITLE:
 PROPOSED PUBLIC LIGHTING LAYOUT
 SHEET 3 OF 3

DRAWING REFERENCE: 3143(60)06
DATE: AUG' 2021
DRAWN BY: ML
SCALE @ A1/A3: 1000/2000
REVISION: 2

REV No.	DESCRIPTION	DATE
2	ISSUED FOR INFORMATION & COMMENT - UPDATED TO NEW XREF	28-08-2021
1	ISSUED FOR INFORMATION & COMMENT	11-02-2021
0	ISSUED TO CL FOR INFORMATION & COMMENT	JULY 2020